



Flair

Multi Split
Air Conditioner



**A FLEXIBLE, SMART AND
ECONOMICAL SOLUTION FOR
LARGE LIVING SPACES...**

Table of Contents

Alarko Flair Multi Split Air Conditioner	3
Outdoor Unit	5
Duct Type Indoor Unit.....	8
4-Way Cassette Type Indoor Unit.....	10
One Way Cassette Type Indoor Unit.....	12
Console Type Indoor Unit	13
Wall Mounted Indoor Unit	14
System Combination Capacity Table	16
Combination Tables	19


The Alarko Flair Multi Split system enables the operation of up to five indoor units with a single outdoor unit, providing an extremely flexible solution for large residential areas.

Flexible piping allows the outdoor unit to be installed out of sight.


Each indoor unit can be individually controlled for even greater efficiency and comfort where and when needed.

Higher Efficiency Under Partial Load

Alarko Flair's high-quality Multi Split system contributes on significantly reducing operating costs* and increasing energy efficiency. In cases where air conditioning is not required in all sections, the outdoor unit with inverter compressor works at partial load to achieve the best saving performance. With the highly efficient outdoor unit, operating costs are significantly reduced compared to other multi-split systems.



*In case where no air conditioning is required in all rooms and the outdoor unit operates at partial load.



Inverter Technology

With the improved control program, the indoor units can offer outstanding performance for temperature setting and energy efficiency. Inverter compressor and DC fan motors allow for a high-efficiency heat transfer by determining the optimum capacity based on the airflow, refrigerant flow and information from the sensor after the information is processed via a software.



Customized Comfort Control

Each indoor unit can be used with individual comfort settings via individual remote controllers.

Silent Operation




Ideal for areas where users spend too much time and need low noise level.

High Energy Efficiency

High efficiency, low electricity consumption use is ensured with its compressor with inverter technology and special design.

Long Piping Flexibility

Alarko Flair gives you the possibility to choose the most ideal place where the outdoor unit can be installed.




Universal Outdoor Unit Design



Smart defrost

With the temperature sensor, the freezing condition of the outdoor unit is accurately detected and the intelligent defrost function is applied according to the actual defrost condition, thus increasing the heating effect and ensuring room comfort.



Matching Indoor Units

Alarko Flair Multi System's wide range of indoor units meets diverse needs across different areas of any space.




Multi Split Very Flexible

With a maximum pipe length of 100 m and a maximum height difference of 25 m, Alarko Flair allows you to select the most ideal installation place for outdoor unit.

Outdoor Units	Maximum Length	
	Length	Height Difference
1 Outdoor Unit 2 Indoor Units	40 m	15 m
1 Outdoor Unit 4 Indoor Units (28K)	70 m	15 m
1 Outdoor Unit 4 Indoor Units (36K)	80 m	25 m
1 Outdoor Unit 5 Indoor Units	100 m	25 m

Door Controller*



*Optional.



Cold Blow Protection

In winter, if the blowing air is not hot enough, the indoor unit does not blow air to prevent cold air blowing.



Turbo Mode


When opening the appliance, it ensures that the room temperature reaches the required level quickly.




Auto Restart

With this feature, the devices remember the previous operating status in case of possible power failure and automatically return to this operating status when the electricity arrives.

Wide Operating Range



Wide Voltage Range



The device can operate over a wide voltage range to greatly reduce the effect of voltage fluctuations.




Wi-Fi Control

The devices are easily controlled from anywhere via the mobile application. Wi-Fi, which is offered as standard in wall type, duct type and console type devices, is optional in 4-way and one-way cassette types.



Energy Saving Mode

To save energy, the temperature setting remains in the limited range only.



Self Cleaning

When the devices are turned off; the indoor fan operates at a lower speed for a while and dries the parts and prevents mold formation.

OUTDOOR UNITS		FLR-B2M18018	FLR-B4M28018	FLR-B4M36018	FLR-B5M42018
Power Input	V-Hz-Ph	220-240, 50Hz, 1Ph	220-240, 50Hz, 1Ph	220-240, 50Hz, 1Ph	220-240, 50Hz, 1Ph
Cooling Capacity	kW	5,30 (2,14-5,8)	8 (2,3-11)	10,60 (2,6-12)	12,10 (2,6-15,2)
	Btu/h	18100 (7300-19800)	28000 (7800-37500)	36200 (8900-40900)	41300 (8900-51900)
Heating Capacity	kW	5,65 (2,58-6,5)	9,50 (2,8-10,25)	12,00 (3-14)	13,00 (3-15,5)
	Btu/h	19300 (8800-22200)	32400 (9600-35000)	40900 (10200-47800)	44400 (10200-52900)
SEER / SCOP	°C	7,20 / 4,2	7,20 / 4,2	7,20 / 4	7,20 / 4,2
Energy Class		A++ / A+	A++ / A+	A++ / A+	A++ / A+
Annual Energy Consumption	kWh	257/1366	388/2400	515/3675	
EER / COP	W/W	3,58 / 4,52	3,77 / 4,32	3,53 / 3,95	3,56 / 4,08
Operating Current (Cooling)	A	6,56	9,41	13,31	15,08
Power Input (Cooling)	kW	1,48	2,12	3,00	3,40
Operating Current (Heating)	A	5,55	9,76	13,487	14,15
Power Input (Heating)	kW	1,25	2,20	3,04	3,19
Air Flow Rate	m³/h	2300	3800	5800	5800
Sound Power Level	dB(A)	64	68,0	70	72*
Sound Pressure Level	dB(A)	50*	58,0	60	60
Dimensions (W×L×H)	mm	822 × 352 × 550	964 × 402 × 660	1020 × 427 × 826	1020 × 427 × 826
Weight	kg	32,0	51,0	72,0	73,0
GWP		675	675	675	675
Refrigerant	kg	0,9	1,8	2,40	2,40
Design Pressure	MPa	4,3 / 2,5	4,3 / 2,5	4,3 / 2,5	4,3 / 2,5
Copper Pipes (Liquid Line / Gas Line)	(inch)	2 × (1/4"/ 3/8")	4 × (1/4"/3/8")	4 × (1/4"/3/8")	5 × (1/4"/3/8")
Maximum Piping Without Additional Refrigerant	m	10	40	40	50
Additional Refrigerant Amount	g/m	20	20	20	20
Maximum Total Length	m	40	70	80	100
Maximum Single Indoor Unit Length	m	20	20	25	25
Indoor Unit and Outdoor Unit Maximum Height	m	15	15	25	25
Maximum Height Between Indoor Units	m	15	15	25	25
Cooling Mode Operating Temperature	°C	-15 ~ 43	-15 ~ 43	-15 ~ 43	-15 ~ 43
Heating Mode Operating Temperature	°C	-15 ~ 24	-15 ~ 24	-15 ~ 24	-15 ~ 24

*For Cooling Mode

Duct Type






Compact Design

Duct type indoor units are suitable for use in many heights and widths with their compact design..

Installation Flexibility

The air return can be changed from the back or from the bottom. Flexibility is provided for installation.





Drainage Pump

It facilitates the evacuation of condensate and has a head of up to 1000 mm.

V Shape Heat Exchanger

The duct type indoor unit has a V-shaped design of the battery. In this design, the heat exchange is the same and the structure is more compact, and the devices have a thinner structure. (9K-18K)



Door Control Kit

Integrated operation with the door card is provided through the door control kit*.

*Optional


MODEL		FLR-BM0901DUI	FLR-BM1201DUI	FLR-BM1801DUI	FLR-BM2401DUI
Power Input	V-Hz-Ph	220-240 / 50 / 1Ph	220-240 / 50 / 1Ph	220-240 / 50 / 1Ph	220-240 / 50 / 1Ph
Cooling Capacity	kW	2,65	3,50	5,00	7,00
	Btu/h	9000	12000	17100	23900
Heating Capacity	kW	2,80	4,00	5,50	8,00
	Btu/h	9600	13600	18800	23300
Sound Power Level	dB(A)	47/43/40/37	51/49/46/42	51/46/43/40	61/57/55/51
Sound Pressure Level	dB (A)	32/28/25/22	36/34/31/27	36/31/28/25	46/42/40/36
Air Flow Rate	m ³ /h	560/450/340/220	600/540/420/300	800/720/610/420	1300/1200/1000/900
External Static Pressure	Pa	0-10	0-10	0-10	0-40
Weight (Net/Gross)	kg	18,5 / 22,5	19 / 23	25 / 30	31 / 36
Dimensions (W×L×H)	mm	710 × 450 × 200	710 × 450 × 200	1010 × 450 × 200	900 × 655 × 260
Copper Pipes (Liquid Line / Gas Line)	inch	(1/4"/3/8")	(1/4"/3/8")	(1/4"/1/2")	(1/4"/5/8")

(Wired controller included.)

4-Way Cassette Type



Cassette Type



Compact Cassette Type

12-18K products are available as compact cassette type, 24K products are available as standard 4-way cassette type.

With 360° Panel, air distribution is more balanced and more comfortable. Standard on all cassette type indoor units.

360° Panel





Flexible Installation

Internal Drainage Pump

The drainage pump can pump condensation water up to 1000 mm, which is an appropriate height for the installation of discharge pipes in most instances.

Built-in Remote Control

Advanced Control Options



Wired Controller
(ALR-XE75)



Weekly Timer Controlled
Wired Controller
(ALR-XK76)



Wired Controller
with Wifi
(ALR-XE73)



Door Control Kit
(ALR-MK010)

MODEL		FLR-BM1201CAI-1	FLR-BM1801CAI-1	FLR-BM2401CAI-1
Power Input	V-Ph-Hz	220-240, 1Ph, 50	220-240, 1Ph, 50	220-240, 1Ph, 50
Cooling Capacity	kW	3.50	5.00	7.00
	Btu/h	11900	17100	23900
Heating Capacity	kW	4.00	5.50	8.00
	Btu/h	13600	18800	27300
Sound Power Level	dB (A)	57/55/50/46	59/55/50/46	62/61/59/57
Sound Pressure Level	dB (A)	41/39/34/30**	43/39/34/30**	44/43/40/38**
Air Flow Rate	m ³ /h	560/540/450/380	650/540/450/380	1100/1050/910/830
Weight (Net/Gross)	kg	17.0 / 22.0	17.0 / 22.0	29.0 / 36.0
Panel Weight (Net/Gross)	kg	3.0 / 4.0	3.0 / 4.0	6.0 / 9.5
Dimensions (W×L×H)	mm	570×570×265	570×570×265	840×840×240
Panel Dimensions (W×L×H)	mm	620×620×47.5	620×620×47.5	950×950×52.0
Copper Pipes (Liquid / Gas Line)	inch	(1/4" / 3/8")	(1/4" / 1/2")	(1/4" / 5/8")

**For Cooling mode

(Wireless controller included.)

One-Way Cassette Type

Small Installation Area

With its ultra-thin design, it can be mounted on a ceiling with a depth of 19 cm. Integrated operation with the door card is provided through the control kit.

(*Optional)




Drainage Pump Discharge Height

Effective drainage of water is ensured with a maximum discharge height of 1000 mm.

Long Service Life for Detachable Grid and Filter

The grill is detachable for easy cleaning. With durable filters, the life of the filter is much longer.



MODEL		FLR-BM0901OWCI	FLR-BM1201OWCI	FLR-BM1801OWCI	FLR-BM2001OWCI
Power Input	V-Ph-Hz	220-240, 1Ph, 50	220-240, 1Ph, 50	220-240, 1Ph, 50	220-240, 1Ph, 50
Cooling Capacity	kW	2,60	3,50	5,00	5,60
	Btu/h	8871	11942	17060	19107
Heating Capacity	kW	2,80	3,60	5,30	6,00
	Btu/h	9554	12283	18084	20472
Sound Power Level	dB (A)	49/46/43/41	53/50/43/41	56/53/48/45	58/55/52/48
Sound Pressure Level	dB (A)	39/36/33/31	42/39/35/31	43/40/35/32	46/43/40/36
Air Flow Rate	m ³ /h	550/450/390/340	600/500/440/390	700/600/500/450	750/650/550/500
Weight (Net/Gross)	kg	19,0 / 26,0	19,0 / 26,0	20,0 / 27,0	20,0 / 27,0
Panel Weight (Net/Gross)	kg	4,2 / 6,0	4,2 / 6,0	4,2 / 6,0	4,2 / 6,0
Dimensions (W×L×H)	mm	987×385×178	987×385×178	987×385×178	987×385×178
Panel Dimensions (W×L×H)	mm	1200×460×55	1200×460×55	1200×460×55	1200×460×55
Copper Pipes (Liquid Line / Gas Line)	(inch)	(1/4" / 3/8")	(1/4" / 3/8")	(1/4" / 1/2")	(1/4" / 1/2")

(Wireless controller included.)



Console Type



MODEL		FLR-BM0901COI	FLR-BM1201COI	FLR-BM1801COI
Power Input	V-Ph-Hz	220-240, 1Ph, 50	220-240, 1Ph, 50	220-240, 1Ph, 50
Cooling Capacity	kW	2,70	3,50	5,20
	Btu/h	9212	11942	17742
Heating Capacity	kW	2,80	3,75	5,33
	Btu/h	9554	12795	18186
Sound Power Level	dB (A)	52/48/44/38	52/50/46/41	57/55/50/45
Sound Pressure Level	dB (A)	40/36/32/26	42/40/36/31	47/45/40/35
Air Flow Rate	m ³ /h	500/430/370/280	600/520/440/360	700/650/520/410
Weight (Net/Gross)	kg	15,5 / 18,5	15,5 / 18,5	15,5 / 18,5
Dimensions (W×L×H)	mm	700×600×215	700×600×215	700×600×215
Copper Pipes (Liquid Line / Gas Line)	inch	(1/4" / 3/8")	(1/4" / 3/8")	(1/4" / 1/2")

Wall Type



With the aesthetic but simple design of Alarko Flair, whether your space is a residence or an office, Alarko Flair fits perfectly in any space.



Evaporator Self Cleaning

Evaporator self-cleaning technology and condensation, icing, sterilization and defrosting processes remove dirt, keeping the smell away and allowing you to breathe freely.



'I Feel' Control

Is it difficult to adjust the temperature often? Now you just need to press a button to enjoy the comfort with the I-Feel function.



Wi-Fi Control

With standard Wi-Fi, your phone or tablet is also your smart controller! Easily control your air conditioner wherever you are. Enjoy the comfort.

Timer


You can set a specific start and stop time with the remote control to turn your air conditioner on or off at any time. The setting sensitivity is 1 minute, and it will stay on or off at the setting time every day.


Cold Blow Protection

If the indoor unit heat exchanger has not reached a certain temperature when the heating is just started or the automatic defrost is finished or the heating is made at low temperature, the indoor unit fan will not operate to prevent cold air blowing. (It takes about 2 minutes)

3D AIR FLOW

The air guide louver not only moves automatically up and down, but also swings left and right for optimal air distribution. Provides 3D airflow for wider air supply to increase comfort.





* RC is representative.

- 1 On / Off
- 2 Up / Down Key
- 3 Turbo Mode
- 4 Fan Speed
- 5 Operating Mode Selection
- 6 Swing Up / Down
- 7 Swing Left / Right
- 8 I Feel Mode
- 9 Timer
- 10 Indoor Temperature
- 11 Time Setting
- 12 LED Display Light
- 13 Wifi
- 14 Sleep Mode



Sleep Mode

To put your air conditioner into sleep mode, it is sufficient to press the 'Sleep' button while your air conditioner is operating in heating or cooling mode. In order to increase quality sleep needs it slowly increases (cooling) or decreases (heating) the set temperature.



Wifi Control	LED Indicator	4 Fan Speed	Timer	3D Air Blow	Sleep Mode	Turbo Mode	'I Feel' Control	X-FAN	Smooth Start Up
Self Cleaning	Cold Blow Protection	8°C Heating	Child Lock	Memory Function	Self-Detection	Energy Saving Mode	Smart Defrost Mode	Auto Restart	
Wide Voltage Range (198~264V)	Low Voltage Start	Refrigerant Deficiency Protection	Fire Resistant Electrical Box	Outdoor Unit Anti-Corrosion Protection	Anti-Corrosion Blades	Health Friendly Filters	Wired Controller	Door Card Control	

Features: ● Standard ○ Optional

MODEL		FLR-BSP0902HWI	FLR-BSP1202HWI	FLR-BSP1802HWI	FLR-BSP2402HWI
Power Input	V-Ph-Hz	220-240, 1Ph, 50	220-240, 1Ph, 50	220-240, 1Ph, 50	220-240, 1Ph, 50
Cooling Capacity	kW	2,5	3,2	4,6	6,2
	Btu/h	8530	11000	15700	21154
Heating Capacity	kW	2,8	3,4	5,2	6,5
	Btu/h	9554	11600	17742	22178
Sound Power Level	dB (A)	55/51/46/38	57/49/45/38	60/58/54/44	65/61/57/51
Sound Pressure Level	dB (A)	40/38/33/25	41/37/33/26	47/45/41/30	50/46/42/36
Air Flow Rate	m ³ /h	500/470/390/270	590/520/400/320	1000/960/810/640	1050/900/690/590
Weight (Net/Gross)	kg	7 / 8,5	7,5 / 9	13,0 / 15,5	13,5 / 16,0
Dimensions (W×H×L)	mm	708×260×185	783×260×185	943×333×246	943×333×246
Copper Pipes (Liquid Line / Gas Line)	inch	(1/4" / 3/8")	(1/4" / 3/8")	(1/4" / 3/8")	(1/4" / 1/2")

(Wireless controller included.)

System Combination Capacity Table

18K				
SINGLE UNIT	TWO UNITS			
9	7+7	7+12	9+12	12+12
12	7+9	9+9	9+18	



28K										
TWO UNITS			THREE UNITS				FOUR UNITS			
7+7	9+9	12+18	7+7+7	7+9+9	7+12+18	9+12+12	7+7+7+7	7+7+9+9	7+9+9+9	9+9+9+12
7+9	9+12	18+18	7+7+9	7+9+12	9+9+9	9+12+18	7+7+7+9	7+7+9+12	7+9+9+12	9+9+12+12
7+12	9+18		7+7+12	7+9+18	9+9+12	12+12+12	7+7+7+12	7+7+9+18	7+9+12+12	
7+18	12+12		7+7+18	7+12+12	9+9+18	12+12+18	7+7+7+18	7+7+12+12	9+9+9+9	

36K									
TWO UNITS			THREE UNITS						
7+12	9+21	18+18	7+7+7	7+9+12	7+12+24	9+9+12	9+12+24	12+12+18	18+18+18
7+18	9+24	18+21	7+7+9	7+9+18	7+18+18	9+9+18	9+18+18	12+12+21	
7+21	12+12	18+24	7+7+12	7+9+21	7+18+21	9+9+21	9+18+21	12+12+24	
7+24	12+18	21+21	7+7+18	7+9+24	7+18+24	9+9+24	9+18+24	12+18+18	
9+9	12+21	21+24	7+7+21	7+12+12	7+21+21	9+12+12	9+21+21	12+18+21	
9+12	12+24	24+24	7+7+24	7+12+18	7+21+24	9+12+18	9+21+24	12+18+24	
9+18			7+9+9	7+12+21	9+9+9	9+12+21	12+12+12	12+21+21	


FOUR UNITS								
7+7+7+7	7+7+7+24	7+7+9+24	7+7+18+18	7+9+9+21	7+9+12+24	9+9+9+9	9+9+12+12	9+12+12+12
7+7+7+9	7+7+9+9	7+7+12+12	7+7+18+21	7+9+9+24	7+9+18+18	9+9+9+12	9+9+12+18	9+12+12+18
7+7+7+12	7+7+9+12	7+7+12+18	7+9+9+9	7+9+12+12	7+12+12+12	9+9+9+18	9+9+12+21	9+12+12+21
7+7+7+18	7+7+9+18	7+7+12+21	7+9+9+12	7+9+12+18	7+12+12+18	9+9+9+21	9+9+12+24	12+12+12+12
7+7+7+21	7+7+9+21	7+7+12+24	7+9+9+18	7+9+12+21	7+12+12+21	9+9+9+24	9+9+18+18	12+12+12+18

42K

TWO UNITS			THREE UNITS								
7+18	9+24	18+21	7+7+7	7+9+9	7+12+18	7+21+21	9+9+21	9+18+18	12+12+12	12+18+24	18+18+24
7+21	12+12	18+24	7+7+9	7+9+12	7+12+21	7+21+24	9+9+24	9+18+21	12+12+18	12+21+21	18+21+21
7+24	12+18	21+21	7+7+12	7+9+18	7+12+24	7+24+24	9+12+12	9+18+24	12+12+21	12+21+24	18+21+24
9+12	12+21	21+24	7+7+18	7+9+21	7+18+18	9+9+9	9+12+18	9+21+21	12+12+24	12+24+24	21+21+21
9+18	12+24	24+24	7+7+21	7+9+24	7+18+21	9+9+12	9+12+21	9+21+24	12+18+18	18+18+18	
9+21	18+18		7+7+24	7+12+12	7+18+24	9+9+18	9+12+24	9+24+24	12+18+21	18+18+21	

FOUR UNITS						
7+7+7+7	7+7+12+12	7+9+9+12	7+9+21+21	9+9+9+9	9+9+18+24	9+18+18+18
7+7+7+9	7+7+12+18	7+9+9+18	7+9+21+24	9+9+9+12	9+9+21+21	12+12+12+12
7+7+7+12	7+7+12+21	7+9+9+21	7+12+12+12	9+9+9+18	9+9+21+24	12+12+12+18
7+7+7+18	7+7+12+24	7+9+9+24	7+12+12+18	9+9+9+21	9+12+12+12	12+12+12+21
7+7+7+21	7+7+18+18	7+9+12+12	7+12+12+21	9+9+9+24	9+12+12+18	12+12+12+24
7+7+7+24	7+7+18+21	7+9+12+18	7+12+12+24	9+9+12+12	9+12+12+21	12+12+18+18
7+7+9+9	7+7+18+24	7+9+12+21	7+12+18+18	9+9+12+18	9+12+12+24	12+12+18+21
7+7+9+12	7+7+21+21	7+9+12+24	7+12+18+21	9+9+12+21	9+12+18+18	
7+7+9+18	7+7+21+24	7+9+18+18	7+12+18+24	9+9+12+24	9+12+18+21	
7+7+9+21	7+7+24+24	7+9+18+21	7+12+21+21	9+9+18+18	9+12+18+24	
7+7+9+24	7+9+9+9	7+9+18+24	7+18+18+18	9+9+18+21	9+12+21+21	

FIVE UNITS					
7+7+7+7+7	7+7+7+12+12	7+7+9+9+21	7+7+12+12+24	7+9+9+18+18	9+9+9+12+12
7+7+7+7+9	7+7+7+12+18	7+7+9+9+24	7+7+12+18+18	7+9+12+12+12	9+9+9+12+18
7+7+7+7+12	7+7+7+12+21	7+7+9+12+12	7+9+9+9+9	7+9+12+12+18	9+9+9+12+21
7+7+7+7+18	7+7+7+12+24	7+7+9+12+18	7+9+9+9+12	7+9+12+12+21	9+9+9+12+24
7+7+7+7+21	7+7+7+18+18	7+7+9+12+21	7+9+9+9+18	7+12+12+12+12	9+9+9+18+18
7+7+7+7+24	7+7+7+18+21	7+7+9+12+24	7+9+9+9+21	7+12+12+12+18	9+9+12+12+12
7+7+7+9+9	7+7+7+18+24	7+7+9+18+18	7+9+9+9+24	9+9+9+9+9	9+9+12+12+18
7+7+7+9+12	7+7+7+21+21	7+7+9+18+21	7+9+9+12+12	9+9+9+9+12	9+9+12+12+21
7+7+7+9+18	7+7+9+9+9	7+7+12+12+12	7+9+9+12+18	9+9+9+9+18	9+12+12+12+12
7+7+7+9+21	7+7+9+9+12	7+7+12+12+18	7+9+9+12+21	9+9+9+9+21	9+12+12+12+18
7+7+7+9+24	7+7+9+9+18	7+7+12+12+21	7+9+9+12+24	9+9+9+9+24	12+12+12+12+12





Combination Tables

18.000 Btu Outdoor Unit

COOLING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)		Indoor Unit Capacity (kW) (Nominal Cooling)		Total Cooling Capacity (kW)			Total Power Input (kW)			SEER (W/W)
		Unit A	Unit B	Unit A	Unit B	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:1	9	9	–	2,6	–	2,15	2,60	3,00	0,30	0,70	1,50	6,10
	12	12	–	3,5	–	2,15	3,50	3,80	0,30	1,20	1,80	6,10
1:2	7+7	7	7	2,2	2,2	2,15	4,40	5,00	0,40	1,40	2,00	6,50
	7+9	7	9	2,2	2,6	2,15	4,80	5,20	0,40	1,44	2,00	6,50
	7+12	7	12	2,2	3,1	2,15	5,30	5,80	0,40	1,48	2,50	6,50
	9+9	9	9	2,65	2,65	2,15	5,30	5,80	0,40	1,48	2,50	6,50
	9+12	9	12	2,30	3,00	2,15	5,30	5,80	0,50	1,48	2,50	6,50
	12+12	12	12	2,65	2,65	2,15	5,30	5,80	0,50	1,48	2,50	6,50
	9+18	9	18	-	-	-	-	-	-	-	-	-

HEATING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)		Indoor Unit Capacity (kW) (Nominal Heating)		Total Heating Capacity (kW)			Total Power Input (kW)			SCOP (W/W)
		Unit A	Unit B	Unit A	Unit B	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:1	9	9	–	2,8	–	2,58	2,80	3,02	0,40	0,80	1,80	4,0
	12	12	–	3,8	–	2,58	3,80	4,10	0,40	0,80	2,00	4,0
1:2	7+7	7	7	2,6	2,6	2,58	5,20	5,80	0,50	1,00	2,20	4,0
	7+9	7	9	2,6	2,8	2,58	5,40	6,10	0,60	1,10	2,20	4,0
	7+12	7	12	2,08	3,57	2,58	5,65	6,50	0,70	1,25	2,50	4,0
	9+9	9	9	2,83	2,83	2,58	5,65	6,50	0,70	1,25	2,50	4,0
	9+12	9	12	2,42	3,23	2,58	5,65	6,50	0,70	1,25	2,50	4,0
	12+12	12	12	2,83	2,83	2,58	5,65	6,50	0,70	1,25	2,50	4,0
	9+18	9	18	-	-	-	-	-	-	-	-	-



Combination Tables

28.000 Btu Outdoor Unit

COOLING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)				Indoor Unit Capacity (kW) (Nominal Cooling)				Total Cooling Capacity (kW)			Total Power Input (kW)			SEER (W/W)
		Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:2	7+7	7	7	–	–	2,20	2,20	–	–	2,30	4,40	5,40	0,80	1,10	2,40	6,10
	7+9	7	9	–	–	2,20	2,60	–	–	2,30	4,80	5,60	0,80	1,20	2,60	6,10
	7+12	7	12	–	–	2,20	3,50	–	–	2,30	5,70	6,30	0,80	1,44	2,60	6,10
	7+18	7	18	–	–	2,20	5,00	–	–	2,30	7,20	8,50	1,00	1,90	3,00	6,10
	9+9	9	9	–	–	2,65	2,65	–	–	2,30	5,30	6,30	0,80	1,40	2,60	6,10
	9+12	9	12	–	–	2,60	3,50	–	–	2,30	6,10	7,30	0,80	1,60	2,80	6,10
	9+18	9	18	–	–	2,60	5,00	–	–	2,30	7,60	8,50	1,20	2,00	2,80	6,10
	12+12	12	12	–	–	3,50	3,50	–	–	2,30	7,00	9,20	1,20	1,80	2,80	6,10
	12+18	12	18	–	–	3,20	4,80	–	–	2,30	8,00	10,00	1,20	2,12	3,40	6,10
	18+18	18	18	–	–	4,00	4,00	–	–	2,30	8,00	11,00	1,20	2,12	3,60	6,10
1:3	7+7+7	7	7	7	–	2,20	2,20	2,20	–	2,30	6,60	9,20	1,20	1,60	2,80	6,10
	7+7+9	7	7	9	–	2,20	2,20	2,60	–	2,30	7,00	9,50	1,20	1,75	2,80	6,10
	7+7+12	7	7	12	–	2,20	2,20	3,50	–	2,30	7,90	9,60	1,20	2,00	3,00	6,10
	7+7+18	7	7	18	–	1,75	1,75	4,50	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+9+9	7	9	9	–	2,20	2,60	2,60	–	2,30	7,40	9,50	1,30	1,90	3,00	6,10
	7+9+12	7	9	12	–	2,00	2,57	3,43	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+9+18	7	9	18	–	1,65	2,12	4,24	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+12+12	7	12	12	–	1,81	3,10	3,10	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+12+18	7	12	18	–	1,51	2,59	3,89	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	9+9+9	9	9	9	–	2,67	2,67	2,67	–	2,30	8,00	10,00	1,30	2,00	3,40	6,10
	9+9+12	9	9	12	–	2,40	2,40	3,20	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	9+9+18	9	9	18	–	2,00	2,00	4,00	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	9+12+12	9	12	12	–	2,18	2,91	2,91	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	9+12+18	9	12	18	–	1,85	2,46	3,69	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	12+12+12	12	12	12	–	2,67	2,67	2,67	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	12+12+18	12	12	18	–	2,29	2,29	3,43	–	2,30	8,00	11,00	1,30	2,12	3,60	6,10
1:4	7+7+7+7	7	7	7	7	2,00	2,00	2,00	2,00	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+7+7+9	7	7	7	9	1,87	1,87	1,87	2,40	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+7+7+12	7	7	7	12	1,70	1,70	1,70	2,91	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+7+7+18	7	7	7	18	1,44	1,44	1,44	3,69	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+7+9+9	7	7	9	9	1,75	1,75	2,25	2,25	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+7+9+12	7	7	9	12	1,60	1,60	2,06	2,74	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+7+9+18	7	7	9	18	1,37	1,37	1,76	3,51	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+7+12+12	7	7	12	12	1,47	1,47	2,53	2,53	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+9+9+9	7	9	9	9	1,65	2,12	2,12	2,12	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+9+9+12	7	9	9	12	1,51	1,95	1,95	2,59	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	7+9+12+12	7	9	12	12	1,40	1,80	2,40	2,40	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	9+9+9+9	9	9	9	9	2,00	2,00	2,00	2,00	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	9+9+9+12	9	9	9	12	1,85	1,85	1,85	2,46	2,30	8,00	11,00	1,30	2,12	3,60	6,10
	9+9+12+12	9	9	12	12	1,71	1,71	2,29	2,29	2,30	8,00	11,00	1,30	2,12	3,60	6,10

28.000 Btu Outdoor Unit

HEATING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)				Indoor Unit Capacity (kW) (Nominal Heating)				Total Heating Capacity (kW)			Total Power Input (kW)			SCOP (W/W)
		Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:2	7+7	7	7	–	–	2,60	2,60	–	–	2,80	5,20	10,00	0,70	1,10	2,50	3,8
	7+9	7	9	–	–	2,60	2,80	–	–	2,80	5,40	10,00	0,70	1,26	2,50	3,8
	7+12	7	12	–	–	2,60	3,80	–	–	2,80	6,40	10,00	0,70	1,49	2,50	3,8
	7+18	7	18	–	–	2,60	5,60	–	–	2,80	8,20	10,25	0,90	1,96	3,00	3,8
	9+9	9	9	–	–	2,80	2,80	–	–	2,80	5,60	10,00	0,70	1,41	2,50	3,8
	9+12	9	12	–	–	2,80	5,43	–	–	2,80	8,23	10,25	0,70	1,65	2,60	3,8
	9+18	9	18	–	–	2,80	3,80	–	–	2,80	6,60	10,25	1,00	2,12	3,40	3,8
	12+12	12	12	–	–	3,80	3,80	–	–	2,80	7,60	10,25	0,90	1,89	2,80	3,8
	12+18	12	18	–	–	3,80	5,60	–	–	2,80	9,40	10,25	1,00	2,20	3,60	3,8
	18+18	18	18	–	–	4,75	4,75	–	–	2,80	9,50	10,25	1,00	2,20	3,60	3,8
1:3	7+7+7	7	7	7	–	2,60	2,60	2,60	–	2,80	7,80	10,25	0,70	1,65	2,60	4,0
	7+7+9	7	7	9	–	2,60	2,60	2,80	–	2,80	8,00	10,25	0,90	1,81	2,80	4,0
	7+7+12	7	7	12	–	2,60	2,60	3,80	–	2,80	9,00	10,25	0,90	2,04	3,00	4,0
	7+7+18	7	7	18	–	2,08	2,08	5,34	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+9+9	7	9	9	–	2,60	2,80	2,80	–	2,80	8,20	10,25	0,90	1,96	3,00	4,0
	7+9+12	7	9	12	–	2,60	2,80	4,00	–	2,80	9,40	10,25	1,00	2,20	3,60	4,0
	7+9+18	7	9	18	–	1,96	2,51	5,03	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+12+12	7	12	12	–	2,50	3,50	3,50	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+12+18	7	12	18	–	1,80	3,08	4,62	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	9+9+9	9	9	9	–	3,17	3,17	3,17	–	2,80	9,50	10,25	1,00	2,12	3,40	4,0
	9+9+12	9	9	12	–	2,85	2,85	3,80	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	9+9+18	9	9	18	–	2,38	2,38	4,75	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	9+12+12	9	12	12	–	2,59	3,45	3,45	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	9+12+18	9	12	18	–	2,19	2,92	4,38	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	12+12+12	12	12	12	–	3,17	3,17	3,17	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	12+12+18	12	12	18	–	2,71	2,71	4,07	–	2,80	9,50	10,25	1,00	2,20	3,60	4,0
1:4	7+7+7+7	7	7	7	7	2,38	2,38	2,38	2,38	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+7+7+9	7	7	7	9	2,22	2,22	2,22	2,85	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+7+7+12	7	7	7	12	2,02	2,02	2,02	3,45	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+7+7+18	7	7	7	18	1,71	1,71	1,71	4,38	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+7+9+9	7	7	9	9	2,08	2,08	2,67	2,67	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+7+9+12	7	7	9	12	1,90	1,90	2,44	3,26	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+7+9+18	7	7	9	18	1,62	1,62	2,09	4,17	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+7+12+12	7	7	12	12	1,75	1,75	3,00	3,00	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+9+9+9	7	9	9	9	1,96	2,51	2,51	2,51	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+9+9+12	7	9	9	12	1,80	2,31	2,31	3,08	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	7+9+12+12	7	9	12	12	1,66	2,14	2,85	2,85	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	9+9+9+9	9	9	9	9	2,38	2,38	2,38	2,38	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	9+9+9+12	9	9	9	12	2,19	2,19	2,19	2,92	2,80	9,50	10,25	1,00	2,20	3,60	4,0
	9+9+12+12	9	9	12	12	2,04	2,04	2,71	2,71	2,80	9,50	10,25	1,00	2,20	3,60	4,0

36.000 Btu Outdoor Unit

COOLING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)			Indoor Unit Capacity (kW) (Nominal Cooling)			Total Cooling Capacity (kW)			Total Power Input (kW)			SEER (W/W)
		Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:2	7+12	7	12	—	2,20	3,50	—	2,60	5,70	6,33	1,60	2,00	3,50	6,10
	7+18	7	18	—	2,20	5,00	—	2,60	7,20	8,50	1,60	2,40	3,50	6,10
	7+21	7	21	—	2,20	6,10	—	2,60	8,30	9,33	1,60	2,40	3,50	6,10
	7+24	7	24	—	2,20	7,20	—	2,60	9,40	10,33	1,60	2,40	3,50	6,10
	9+9	9	9	—	2,65	2,65	—	2,60	5,30	6,50	1,60	1,90	3,50	6,10
	9+12	9	12	—	2,60	3,50	—	2,60	6,10	7,50	1,60	2,30	3,50	6,10
	9+18	9	18	—	2,60	5,00	—	2,60	7,60	9,00	1,60	2,40	3,50	6,10
	9+21	9	21	—	2,60	6,10	—	2,60	8,70	10,00	1,60	2,40	3,50	6,10
	9+24	9	24	—	2,60	7,20	—	2,60	9,80	11,00	1,60	2,60	3,60	6,10
	12+12	12	12	—	3,50	3,50	—	2,60	7,00	9,20	1,60	2,40	3,50	6,10
	12+18	12	18	—	3,50	5,00	—	2,60	8,50	10,00	1,60	2,40	3,50	6,10
	12+21	12	21	—	3,50	6,10	—	2,60	9,60	11,00	1,60	2,80	3,60	6,10
	12+24	12	24	—	3,50	7,10	—	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	18+18	18	18	—	5,30	5,30	—	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	18+21	18	21	—	4,90	5,70	—	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	18+24	18	24	—	4,55	6,05	—	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	21+21	21	21	—	5,30	5,30	—	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	21+24	21	24	—	4,90	5,70	—	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	24+24	24	24	—	5,30	5,30	—	2,60	10,60	12,00	1,60	3,00	4,60	6,10
1:3	7+7+7	7	7	7	2,20	2,20	2,20	2,60	6,60	9,20	1,60	2,30	3,50	6,10
	7+7+9	7	7	9	2,20	2,20	2,60	2,60	7,00	9,50	1,60	2,40	3,50	6,10
	7+7+12	7	7	12	2,20	2,20	3,50	2,60	7,90	9,60	1,60	2,40	3,50	6,10
	7+7+18	7	7	18	2,20	2,20	5,00	2,60	9,40	11,00	1,60	2,80	4,60	6,10
	7+7+21	7	7	21	2,20	2,20	6,10	2,60	10,50	11,66	1,60	2,80	4,60	6,10
	7+7+24	7	7	24	1,93	1,93	6,73	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+9	7	9	9	2,20	2,60	2,60	2,60	7,40	9,50	1,60	2,40	3,50	6,10
	7+9+12	7	9	12	2,20	2,60	3,50	2,60	8,30	11,00	1,60	2,40	3,50	6,10
	7+9+18	7	9	18	2,20	2,60	5,00	2,60	9,80	11,33	1,60	3,00	4,60	6,10
	7+9+21	7	9	21	2,09	2,55	5,96	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+24	7	9	24	1,94	2,36	6,30	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+12+12	7	12	12	2,20	3,50	3,50	2,60	9,20	11,00	1,60	2,40	3,50	6,10
	7+12+18	7	12	18	2,01	3,44	5,16	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+12+21	7	12	21	1,86	3,18	5,57	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+12+24	7	12	24	1,73	2,96	5,92	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+18+18	7	18	18	1,73	4,44	4,44	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+18+21	7	18	21	1,61	4,15	4,84	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+18+24	7	18	24	1,51	3,89	5,19	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+21+21	7	21	21	1,51	4,54	4,54	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+21+24	7	21	24	1,43	4,28	4,89	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+9	9	9	9	2,67	2,67	2,67	2,60	8,00	10,00	1,60	2,40	3,50	6,10
	9+9+12	9	9	12	2,60	2,60	4,20	2,60	9,40	11,00	1,60	2,60	3,60	6,10
	9+9+18	9	9	18	2,65	2,65	5,30	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+21	9	9	21	2,45	2,45	5,71	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+24	9	9	24	2,27	2,27	6,06	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+12+12	9	12	12	2,60	3,50	3,50	2,60	9,60	11,00	1,60	3,00	4,60	6,10
	9+12+18	9	12	18	2,45	3,26	4,89	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+12+21	9	12	21	2,27	3,03	5,30	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+12+24	9	12	24	2,12	2,83	5,65	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+18+18	9	18	18	2,12	4,24	4,24	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+18+21	9	18	21	1,99	3,98	4,64	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+18+24	9	18	24	1,87	3,74	4,99	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+21+21	9	21	21	1,87	4,36	4,36	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+21+24	9	21	24	1,77	4,12	4,71	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+12+12	12	12	12	3,53	3,53	3,53	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+12+18	12	12	18	3,03	3,03	4,54	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+12+21	12	12	21	2,83	2,83	4,95	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+12+24	12	12	24	2,65	2,65	5,30	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+18+18	12	18	18	2,65	3,98	3,98	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+18+21	12	18	21	2,49	3,74	4,36	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+18+24	12	18	24	2,36	3,53	4,71	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+21+21	12	21	21	2,36	4,12	4,12	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	18+18+18	18	18	18	3,53	3,53	3,53	2,60	10,60	12,00	1,60	3,00	4,60	6,10

36.000 Btu Outdoor Unit

COOLING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)				Indoor Unit Capacity (kW) (Nominal Cooling)				Total Cooling Capacity (kW)			Total Power Input (kW)			SEER (W/W)
		Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:4	7+7+7+7	7	7	7	7	2,20	2,20	2,20	2,20	2,60	8,80	11,00	1,60	2,40	3,50	6,10
	7+7+7+9	7	7	7	9	2,20	2,20	2,20	2,60	2,60	9,20	11,00	1,60	2,60	3,60	6,10
	7+7+7+12	7	7	7	12	2,20	2,20	2,20	3,50	2,60	10,10	11,00	1,60	3,00	4,60	6,10
	7+7+7+18	7	7	7	18	1,90	1,90	1,90	4,89	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+7+21	7	7	7	21	1,77	1,77	1,77	5,30	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+7+24	7	7	7	24	1,65	1,65	1,65	5,65	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+9+9	7	7	9	9	2,32	2,32	2,98	2,98	2,60	10,60	11,00	1,60	3,00	4,60	6,10
	7+7+9+12	7	7	9	12	2,20	2,20	2,60	3,50	2,60	10,50	11,66	1,60	3,00	4,60	6,10
	7+7+9+18	7	7	9	18	1,81	1,81	2,33	4,65	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+9+21	7	7	9	21	1,69	1,69	2,17	5,06	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+9+24	7	7	9	24	1,58	1,58	2,03	5,41	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+12+12	7	7	12	12	1,95	1,95	3,35	3,35	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+12+18	7	7	12	18	1,69	1,69	2,89	4,34	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+12+21	7	7	12	21	1,58	1,58	2,71	4,74	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+12+24	7	7	12	24	1,48	1,48	2,54	5,09	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+18+18	7	7	18	18	1,48	1,48	3,82	3,82	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+7+18+21	7	7	18	21	1,40	1,40	3,60	4,20	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+9+9	7	9	9	9	2,30	2,60	2,60	2,60	2,60	10,10	11,33	1,60	3,00	4,60	6,10
	7+9+9+12	7	9	9	12	2,01	2,58	2,58	3,44	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+9+18	7	9	9	18	1,73	2,22	2,22	4,44	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+9+21	7	9	9	21	1,61	2,07	2,07	4,84	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+9+24	7	9	9	24	1,51	1,95	1,95	5,19	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+12+12	7	9	12	12	1,86	2,39	3,18	3,18	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+12+18	7	9	12	18	1,61	2,07	2,77	4,15	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+12+21	7	9	12	21	1,51	1,95	2,60	4,54	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+12+24	7	9	12	24	1,43	1,83	2,45	4,89	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+9+18+18	7	9	18	18	1,43	1,83	3,67	3,67	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+12+12+12	7	12	12	12	1,73	2,96	2,96	2,96	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+12+12+18	7	12	12	18	1,51	2,60	2,60	3,89	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	7+12+12+21	7	12	12	21	1,43	2,45	2,45	4,28	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+9+9	9	9	9	9	2,65	2,65	2,65	2,65	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+9+12	9	9	9	12	2,45	2,45	2,45	3,26	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+9+18	9	9	9	18	2,12	2,12	2,12	4,24	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+9+21	9	9	9	21	1,99	1,99	1,99	4,64	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+9+24	9	9	9	24	1,87	1,87	1,87	4,99	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+12+12	9	9	12	12	2,27	2,27	3,03	3,03	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+12+18	9	9	12	18	1,99	1,99	2,65	3,98	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+12+21	9	9	12	21	1,87	1,87	2,49	4,36	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+12+24	9	9	12	24	1,77	1,77	2,36	4,71	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+9+18+18	9	9	18	18	1,77	1,77	3,53	3,53	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+12+12+12	9	12	12	12	2,12	2,83	2,83	2,83	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+12+12+18	9	12	12	18	1,87	2,49	2,49	3,74	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	9+12+12+21	9	12	12	21	1,77	2,36	2,36	4,12	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+12+12+12	12	12	12	12	2,65	2,65	2,65	2,65	2,60	10,60	12,00	1,60	3,00	4,60	6,10
	12+12+12+18	12	12	12	18	2,36	2,36	2,36	3,53	2,60	10,60	12,00	1,60	3,00	4,60	6,10

36.000 Btu Outdoor Unit

HEATING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)			Indoor Unit Capacity (kW) (Nominal Heating)			Total Heating Capacity (kW)			Total Power Input (kW)			SCOP (W/W)
		Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:2	7+12	7	12	—	2,60	3,80	—	3,00	6,40	7,38	1,61	2,20	3,60	3,8
	7+18	7	18	—	2,60	5,60	—	3,00	8,20	9,72	1,61	2,60	4,00	3,8
	7+21	7	21	—	2,60	6,50	—	3,00	9,10	10,88	1,61	2,80	4,20	3,8
	7+24	7	24	—	2,60	8,50	—	3,00	11,10	12,05	1,61	2,90	4,80	3,8
	9+9	9	9	—	2,80	2,80	—	3,00	5,60	7,00	1,61	1,90	3,60	3,8
	9+12	9	12	—	2,80	3,80	—	3,00	6,60	8,16	1,61	2,30	3,80	3,8
	9+18	9	18	—	2,80	5,60	—	3,00	8,40	10,50	1,61	2,80	4,20	3,8
	9+21	9	21	—	2,80	6,50	—	3,00	9,30	11,66	1,61	2,80	4,50	3,8
	9+24	9	24	—	2,80	8,50	—	3,00	11,30	12,83	1,61	3,04	5,00	3,8
	12+12	12	12	—	3,80	3,80	—	3,00	7,60	9,33	1,61	2,60	4,00	3,8
	12+18	12	18	—	3,80	5,60	—	3,00	9,40	11,66	1,61	2,90	4,80	3,8
	12+21	12	21	—	3,80	6,50	—	3,00	10,30	12,83	1,61	3,04	5,00	3,8
	12+24	12	24	—	3,80	8,20	—	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	18+18	18	18	—	6,00	6,00	—	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	18+21	18	21	—	5,54	6,46	—	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	18+24	18	24	—	5,14	6,86	—	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	21+21	21	21	—	6,00	6,00	—	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	21+24	21	24	—	5,60	6,40	—	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	24+24	24	24	—	6,00	6,00	—	3,00	12,00	14,00	1,61	3,04	5,00	3,8
1:3	7+7+7	7	7	7	2,60	2,60	2,60	3,00	7,80	8,16	1,61	2,40	3,60	3,8
	7+7+9	7	7	9	2,60	2,60	2,80	3,00	8,00	8,94	1,61	2,60	4,00	3,8
	7+7+12	7	7	12	2,60	2,60	3,80	3,00	9,00	10,11	1,61	2,80	4,20	3,8
	7+7+18	7	7	18	2,60	2,60	5,60	3,00	10,80	12,44	1,61	2,90	4,80	3,8
	7+7+21	7	7	21	2,60	2,60	6,50	3,00	11,70	13,61	1,61	3,04	5,00	3,8
	7+7+24	7	7	24	2,21	2,21	7,58	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+9	7	9	9	2,60	2,80	2,80	3,00	8,20	9,72	1,61	2,80	4,20	3,8
	7+9+12	7	9	12	2,60	2,80	3,80	3,00	9,20	10,88	1,61	2,90	4,80	3,8
	7+9+18	7	9	18	2,60	2,80	5,60	3,00	11,00	13,22	1,61	3,04	5,00	3,8
	7+9+21	7	9	21	2,60	2,80	6,50	3,00	11,90	14,00	1,61	3,04	5,00	3,8
	7+9+24	7	9	24	2,10	2,80	7,20	3,00	12,10	14,00	1,61	3,04	5,00	3,8
	7+12+12	7	12	12	2,71	4,65	4,65	3,00	12,00	12,05	1,61	2,90	4,80	3,8
	7+12+18	7	12	18	2,27	3,89	5,84	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+12+21	7	12	21	2,10	3,60	6,30	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+12+24	7	12	24	1,95	3,35	6,70	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+18+18	7	18	18	1,95	5,02	5,02	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+18+21	7	18	21	1,83	4,70	5,48	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+18+24	7	18	24	1,71	4,41	5,88	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+21+21	7	21	21	1,71	5,14	5,14	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+21+24	7	21	24	1,62	4,85	5,54	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+9	9	9	9	2,80	2,80	2,80	3,00	8,40	10,50	1,61	2,80	4,20	3,8
	9+9+12	9	9	12	2,80	2,80	3,80	3,00	9,40	11,66	1,61	2,90	4,80	3,8
	9+9+18	9	9	18	3,00	3,00	6,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+21	9	9	21	2,77	2,77	6,46	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+24	9	9	24	2,57	2,57	6,86	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+12+12	9	12	12	3,27	4,36	4,36	3,00	12,00	12,83	1,61	3,04	5,00	3,8
	9+12+18	9	12	18	2,77	3,69	5,54	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+12+21	9	12	21	2,57	3,43	6,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+12+24	9	12	24	2,40	3,20	6,40	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+18+18	9	18	18	2,40	4,80	4,80	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+18+21	9	18	21	2,25	4,50	5,25	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+18+24	9	18	24	2,12	4,24	5,65	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+21+21	9	21	21	2,12	4,94	4,94	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+21+24	9	21	24	2,00	4,67	5,33	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+12+12	12	12	12	4,00	4,00	4,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+12+18	12	12	18	3,43	3,43	5,14	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+12+21	12	12	21	3,20	3,20	5,60	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+12+24	12	12	24	3,00	3,00	6,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+18+18	12	18	18	3,00	4,50	4,50	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+18+21	12	18	21	2,82	4,24	4,94	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+18+24	12	18	24	2,67	4,00	5,33	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+21+21	12	21	21	2,67	4,67	4,67	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	18+18+18	18	18	18	4,00	4,00	4,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8

36.000 Btu Outdoor Unit

HEATING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)				Indoor Unit Capacity (kW) (Nominal Heating)				Total Heating Capacity (kW)			Total Power Input (kW)			SCOP (W/W)
		Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:4	7+7+7+7	7	7	7	7	2,60	2,60	2,60	2,60	3,00	10,40	10,88	1,61	2,80	4,20	3,8
	7+7+7+9	7	7	7	9	2,60	2,60	2,60	2,80	3,00	10,60	11,66	1,61	2,90	4,80	3,8
	7+7+7+12	7	7	7	12	2,60	2,60	2,60	3,80	3,00	11,60	12,83	1,61	3,00	5,00	3,8
	7+7+7+18	7	7	7	18	2,15	2,15	2,15	5,54	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+7+21	7	7	7	21	2,00	2,00	2,00	6,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+7+24	7	7	7	24	1,87	1,87	1,87	6,40	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+9+9	7	7	9	9	2,60	2,60	2,80	2,80	3,00	10,80	12,44	1,61	2,90	4,80	3,8
	7+7+9+12	7	7	9	12	2,60	2,60	2,80	3,80	3,00	11,80	13,61	1,61	3,04	5,00	3,8
	7+7+9+18	7	7	9	18	2,05	2,05	2,63	5,27	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+9+21	7	7	9	21	1,91	1,91	2,45	5,73	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+9+24	7	7	9	24	1,79	1,79	2,30	6,13	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+12+12	7	7	12	12	2,21	2,21	3,79	3,79	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+12+18	7	7	12	18	1,91	1,91	3,27	4,91	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+12+21	7	7	12	21	1,79	1,79	3,06	5,36	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+12+24	7	7	12	24	1,68	1,68	2,88	5,76	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+18+18	7	7	18	18	1,68	1,68	4,32	4,32	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+7+18+21	7	7	18	21	1,58	1,58	4,08	4,75	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+9+9	7	9	9	9	2,60	2,80	2,80	2,80	3,00	11,00	13,22	1,61	3,04	5,00	3,8
	7+9+9+12	7	9	9	12	2,27	2,92	2,92	3,89	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+9+18	7	9	9	18	1,95	2,51	2,51	5,02	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+9+21	7	9	9	21	1,83	2,35	2,35	5,48	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+9+24	7	9	9	24	1,71	2,20	2,20	5,88	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+12+12	7	9	12	12	2,10	2,70	3,60	3,60	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+12+18	7	9	12	18	1,83	2,35	3,13	4,70	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+12+21	7	9	12	21	1,71	2,20	2,94	5,14	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+12+24	7	9	12	24	1,62	2,08	2,77	5,54	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+9+18+18	7	9	18	18	1,62	2,08	4,15	4,15	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+12+12+12	7	12	12	12	1,95	3,35	3,35	3,35	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+12+12+18	7	12	12	18	1,71	2,94	2,94	4,41	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	7+12+12+21	7	12	12	21	1,62	2,77	2,77	4,85	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+9+9	9	9	9	9	3,00	3,00	3,00	3,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+9+12	9	9	9	12	2,77	2,77	2,77	3,69	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+9+18	9	9	9	18	2,40	2,40	2,40	4,80	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+9+21	9	9	9	21	2,25	2,25	2,25	5,25	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+9+24	9	9	9	24	2,12	2,12	2,12	5,65	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+12+12	9	9	12	12	2,57	2,57	3,43	3,43	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+12+18	9	9	12	18	2,25	2,25	3,00	4,50	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+12+21	9	9	12	21	2,12	2,12	2,82	4,94	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+12+24	9	9	12	24	2,00	2,00	2,67	5,33	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+9+18+18	9	9	18	18	2,00	2,00	4,00	4,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+12+12+12	9	12	12	12	2,40	3,20	3,20	3,20	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+12+12+18	9	12	12	18	2,12	2,82	2,82	4,24	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	9+12+12+21	9	12	12	21	2,00	2,67	2,67	4,67	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+12+12+12	12	12	12	12	3,00	3,00	3,00	3,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8
	12+12+12+18	12	12	12	18	2,67	2,67	2,67	4,00	3,00	12,00	14,00	1,61	3,04	5,00	3,8

42.000 Btu Outdoor Unit

COOLING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)			Indoor Unit Capacity (kW) (Nominal Cooling)			Total Cooling Capacity (kW)			Total Power Input (kW)			SEER (W/W)
		Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:2	7+18	7	18	—	2,20	5,00	—	2,60	7,20	8,50	1,60	2,40	3,50	6,10
	7+21	7	21	—	2,20	6,10	—	2,60	8,30	9,33	1,60	3,00	4,60	6,10
	7+24	7	24	—	2,20	7,20	—	2,60	9,40	10,33	1,60	3,40	4,60	6,10
	9+12	9	12	—	2,60	3,50	—	2,60	6,10	7,50	1,60	2,30	4,60	6,10
	9+18	9	18	—	2,60	5,00	—	2,60	7,60	9,00	1,60	2,60	4,60	6,10
	9+21	9	21	—	2,60	6,10	—	2,60	8,70	10,00	1,60	3,20	4,60	6,10
	9+24	9	24	—	2,60	7,20	—	2,60	9,80	11,00	1,60	3,40	4,60	6,10
	12+12	12	12	—	3,50	3,50	—	2,60	7,00	9,20	1,60	2,40	4,60	6,10
	12+18	12	18	—	3,50	5,00	—	2,60	8,50	10,00	1,60	3,00	4,60	6,10
	12+21	12	21	—	3,50	6,10	—	2,60	9,60	11,00	1,60	3,40	4,60	6,10
	12+24	12	24	—	3,50	7,10	—	2,60	10,60	12,00	1,60	3,40	4,60	6,10
	18+18	18	18	—	5,30	5,30	—	2,60	10,60	12,00	1,60	3,40	4,60	6,10
	18+21	18	21	—	4,90	5,70	—	2,60	10,60	12,00	1,60	3,40	4,60	6,10
	18+24	18	24	—	4,55	6,05	—	2,60	10,60	12,00	1,60	3,40	4,60	6,10
	21+21	21	21	—	5,30	5,30	—	2,60	10,60	12,00	1,60	3,40	4,60	6,10
1:3	21+24	21	24	—	4,90	5,70	—	2,60	10,60	12,00	1,60	3,40	4,60	6,10
	24+24	24	24	—	5,30	5,30	—	2,60	10,60	12,00	1,60	3,40	4,60	6,10
	7+7+7	7	7	7	2,20	2,20	2,20	2,60	6,60	9,20	1,60	2,30	3,50	6,10
	7+7+9	7	7	9	2,20	2,20	2,60	2,60	7,00	9,50	1,60	2,40	3,50	6,10
	7+7+12	7	7	12	2,20	2,20	3,50	2,60	7,90	9,60	1,60	2,40	3,50	6,10
	7+7+18	7	7	18	2,20	2,20	5,00	2,60	9,40	11,00	1,60	2,60	3,60	6,10
	7+7+21	7	7	21	2,20	2,20	6,10	2,60	10,50	11,66	1,60	3,00	4,60	6,10
	7+7+24	7	7	24	2,20	2,20	7,20	2,60	11,60	12,00	1,60	3,00	4,60	6,10
	7+9+9	7	9	9	2,20	2,60	2,60	2,60	7,40	9,50	1,60	2,60	3,60	6,10
	7+9+12	7	9	12	2,20	2,60	3,50	2,60	8,30	11,00	1,60	2,60	3,60	6,10
	7+9+18	7	9	18	2,20	2,60	5,00	2,60	9,80	12,30	1,60	3,00	4,00	6,10
	7+9+21	7	9	21	2,20	2,60	6,10	2,60	10,90	13,39	1,60	3,40	4,60	6,10
	7+9+24	7	9	24	2,20	2,60	7,20	2,60	12,00	14,47	1,60	3,40	4,60	6,10
	7+12+12	7	12	12	2,20	3,50	3,50	2,60	9,20	11,21	1,60	3,00	4,00	6,10
	7+12+18	7	12	18	2,20	3,50	5,00	2,60	10,70	13,39	1,60	3,00	4,60	6,10
	7+12+21	7	12	21	2,20	3,50	6,10	2,60	11,80	14,47	1,60	3,40	4,60	6,10
	7+12+24	7	12	24	1,70	3,40	7,00	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+18+18	7	18	18	2,10	5,00	5,00	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+18+21	7	18	21	1,70	4,60	5,80	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+18+24	7	18	24	1,70	4,40	6,00	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+21+21	7	21	21	1,70	5,20	5,20	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+21+24	7	21	24	1,60	4,90	5,60	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+24+24	7	24	24	1,50	5,30	5,30	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9	9	9	9	2,67	2,67	2,67	2,60	8,00	10,00	1,60	2,80	4,60	6,10
	9+9+12	9	9	12	2,60	2,60	4,20	2,60	9,40	11,00	1,60	3,40	4,60	6,10
	9+9+18	9	9	18	2,60	2,60	5,00	2,60	10,20	13,02	1,60	3,00	4,60	6,10
	9+9+21	9	9	21	2,60	2,60	6,10	2,60	11,30	14,11	1,60	3,40	4,60	6,10
	9+9+24	9	9	24	2,60	2,60	6,90	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+12	9	12	12	2,60	3,50	3,50	2,60	9,60	11,94	1,60	3,00	4,60	6,10
	9+12+18	9	12	18	2,60	3,50	5,00	2,60	11,10	14,11	1,60	3,40	4,60	6,10
	9+12+21	9	12	21	2,60	3,50	6,00	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+24	9	12	24	2,40	3,20	6,50	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+18+18	9	18	18	2,50	4,80	4,80	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+18+21	9	18	21	2,30	4,50	5,30	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+18+24	9	18	24	2,10	4,30	5,70	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+21+21	9	21	21	2,10	5,00	5,00	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+21+24	9	21	24	2,00	4,70	5,40	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+24+24	9	24	24	1,90	5,10	5,10	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+12	12	12	12	3,50	3,50	3,50	2,60	10,50	13,02	1,60	3,00	4,60	6,10
	12+12+18	12	12	18	3,50	3,50	5,10	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+21	12	12	21	3,20	3,20	5,70	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+24	12	12	24	3,00	3,00	6,10	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+18+18	12	18	18	3,10	4,50	4,50	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+18+21	12	18	21	2,80	4,30	5,00	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+18+24	12	18	24	2,70	4,00	5,40	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+21+21	12	21	21	2,70	4,70	4,70	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+21+24	12	21	24	2,50	4,50	5,10	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+24+24	12	24	24	2,50	4,80	4,80	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	18+18+18	18	18	18	4,03	4,03	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	18+18+21	18	18	21	3,80	3,80	4,50	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	18+18+24	18	18	24	3,60	3,60	4,90	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	18+21+21	18	21	21	3,60	4,25	4,25	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	18+21+24	18	21	24	3,40	4,10	4,60	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	21+21+21	21	21	21	4,03	4,03	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10

42.000 Btu Outdoor Unit

COOLING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)				Indoor Unit Capacity (kW) (Nominal Cooling)				Total Cooling Capacity (kW)			Total Power Input (kW)			SEER (W/W)
		Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:4	7+7+7+7	7	7	7	7	2,20	2,20	2,20	2,20	2,60	8,80	11,00	1,60	2,60	3,60	6,10
	7+7+7+9	7	7	7	9	2,20	2,20	2,20	2,60	2,60	9,20	11,00	1,60	2,60	3,60	6,10
	7+7+7+12	7	7	7	12	2,20	2,20	2,20	3,50	2,60	10,10	11,94	1,60	2,60	3,60	6,10
	7+7+7+18	7	7	7	18	2,20	2,20	2,20	5,00	2,60	11,60	14,11	1,60	3,40	4,60	6,10
	7+7+7+21	7	7	7	21	2,10	2,10	2,10	5,80	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+24	7	7	7	24	1,90	1,90	1,90	6,40	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+9	7	7	9	9	2,20	2,20	2,60	2,60	2,60	9,60	11,58	1,60	3,40	4,60	6,10
	7+7+9+12	7	7	9	12	2,20	2,20	2,60	3,50	2,60	10,50	12,66	1,60	3,00	4,60	6,10
	7+7+9+18	7	7	9	18	2,20	2,20	2,60	5,00	2,60	12,00	14,83	1,60	3,40	4,60	6,10
	7+7+9+21	7	7	9	21	1,90	1,90	2,50	5,80	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+24	7	7	9	24	1,80	1,80	2,30	6,20	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+12+12	7	7	12	12	2,20	2,20	3,50	3,50	2,60	11,40	13,75	1,60	3,40	4,60	6,10
	7+7+12+18	7	7	12	18	2,00	2,00	3,20	4,90	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+12+21	7	7	12	21	1,80	1,80	3,10	5,40	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+12+24	7	7	12	24	1,70	1,70	2,90	5,80	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+18+18	7	7	18	18	1,60	1,60	4,45	4,45	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+18+21	7	7	18	21	1,60	1,60	4,10	4,80	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+18+24	7	7	18	24	1,50	1,50	3,90	5,20	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+21+21	7	7	21	21	1,50	1,50	4,50	4,50	2,60	12,00	15,20	1,60	3,40	4,60	6,10
	7+7+21+24	7	7	21	24	1,42	1,42	4,32	4,93	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+24+24	7	7	24	24	1,35	1,35	4,70	4,70	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+9	7	9	9	9	2,30	2,60	2,60	2,60	2,60	10,10	12,30	1,60	2,60	3,60	6,10
	7+9+9+12	7	9	9	12	2,30	2,60	2,60	3,50	2,60	11,00	13,39	1,60	3,40	4,60	6,10
	7+9+9+18	7	9	9	18	1,90	2,60	2,60	5,00	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+21	7	9	9	21	1,83	2,40	2,40	5,48	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+24	7	9	9	24	1,72	2,25	2,25	5,88	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+12+12	7	9	12	12	2,30	2,60	3,50	3,50	2,60	11,90	14,47	1,60	3,40	4,60	6,10
	7+9+12+18	7	9	12	18	1,83	2,35	3,13	4,80	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+12+21	7	9	12	21	1,71	2,20	2,94	5,24	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+12+24	7	9	12	24	1,62	2,18	2,77	5,54	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+18+18	7	9	18	18	1,62	2,08	4,20	4,20	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+18+21	7	9	18	21	1,53	1,96	3,93	4,68	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+18+24	7	9	18	24	1,46	1,88	3,76	5,01	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+21+21	7	9	21	21	1,46	1,88	4,38	4,38	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+21+24	7	9	21	24	1,39	1,79	4,17	4,76	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+12+12	7	12	12	12	1,97	3,38	3,38	3,38	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+12+18	7	12	12	18	1,73	2,96	2,96	4,44	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+12+21	7	12	12	21	1,63	2,79	2,79	4,89	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+12+24	7	12	12	24	1,54	2,64	2,64	5,28	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+18+18	7	12	18	18	1,54	2,64	3,96	3,96	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+18+21	7	12	18	21	1,46	2,50	3,76	4,38	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+18+24	7	12	18	24	1,39	2,38	3,57	4,76	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+21+21	7	12	21	21	1,39	2,38	4,17	4,17	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+18+18+18	7	18	18	18	1,39	3,57	3,57	3,57	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+9	9	9	9	9	2,60	2,60	2,60	2,60	2,60	10,40	13,02	1,60	3,40	4,60	6,10
	9+9+9+12	9	9	9	12	2,60	2,60	2,60	3,50	2,60	11,30	14,11	1,60	3,40	4,60	6,10
	9+9+9+18	9	9	9	18	2,42	2,42	2,42	4,84	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+21	9	9	9	21	2,27	2,27	2,27	5,29	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+24	9	9	9	24	2,14	2,14	2,14	5,69	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+12+12	9	9	12	12	2,59	2,59	3,46	3,46	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+12+18	9	9	12	18	2,27	2,27	3,03	4,54	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+12+21	9	9	12	21	2,14	2,14	2,85	4,98	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+12+24	9	9	12	24	2,02	2,02	2,69	5,38	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+18+18	9	9	18	18	2,02	2,02	4,03	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+18+21	9	9	18	21	1,91	1,91	3,82	4,46	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+18+24	9	9	18	24	1,82	1,82	3,63	4,84	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+21+21	9	9	21	21	1,82	1,82	4,24	4,24	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+21+24	9	9	21	24	1,73	1,73	4,03	4,61	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+12+12	9	12	12	12	2,42	3,23	3,23	3,23	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+12+18	9	12	12	18	2,14	2,85	2,85	4,27	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+12+21	9	12	12	21	2,02	2,69	2,69	4,71	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+12+24	9	12	12	24	1,91	2,55	2,55	5,09	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+18+18	9	12	18	18	1,91	2,55	3,82	3,82	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+18+21	9	12	18	21	1,82	2,42	3,63	4,24	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+18+24	9	12	18	24	1,73	2,30	3,46	4,61	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+21+21	9	12	21	21	1,73	2,30	4,03	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+18+18+18	9	18	18	18	1,73	3,46	3,46	3,46	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+12+12	12	12	12	12	3,03	3,03	3,03	3,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+12+18	12	12	12	18	2,69	2,69	2,69	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+12+21	12	12	12	21	2,55	2,55	2,55	4,46	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+12+24	12	12	12	24	2,42	2,42	2,42	4,84	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+18+18	12	12	18	18	2,42	2,42	3,63	3,63	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+18+21	12	12	18	21	2,30	2,30	3,46	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10

42.000 Btu Outdoor Unit

COOLING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)					Indoor Unit Capacity (kW) (Nominal Cooling)					Total Cooling Capacity (kW)			Total Power Input (kW)			SEER (W/W)
		Unit A	Unit B	Unit C	Unit D	Unit E	Unit A	Unit B	Unit C	Unit D	Unit E	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:5	7+7+7+7+7	7	7	7	7	7	2,20	2,20	2,20	2,20	2,20	2,60	11,00	12,66	1,60	3,40	4,60	6,10
	7+7+7+7+9	7	7	7	7	9	2,20	2,20	2,20	2,20	2,60	2,60	11,40	13,39	1,60	3,40	4,60	6,10
	7+7+7+7+12	7	7	7	7	12	2,15	2,15	2,15	2,15	3,50	2,60	12,10	14,47	1,60	3,40	4,60	6,10
	7+7+7+7+18	7	7	7	7	18	1,84	1,84	1,84	1,84	4,73	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+7+21	7	7	7	7	21	1,73	1,73	1,73	1,73	5,19	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+7+24	7	7	7	7	24	1,63	1,63	1,63	1,63	5,58	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+9+9	7	7	7	9	9	2,20	2,20	2,20	2,60	2,60	2,60	11,80	14,11	1,60	3,40	4,60	6,10
	7+7+7+9+12	7	7	7	9	12	2,02	2,02	2,02	2,59	3,46	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+9+18	7	7	7	9	18	1,76	1,76	1,76	2,27	4,54	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+9+21	7	7	7	9	21	1,66	1,66	1,66	2,14	4,98	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+9+24	7	7	7	9	24	1,57	1,57	1,57	2,02	5,38	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+12+12	7	7	7	12	12	1,88	1,88	1,88	3,23	3,23	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+12+18	7	7	7	12	18	1,66	1,66	1,66	2,85	4,27	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+12+21	7	7	7	12	21	1,57	1,57	1,57	2,69	4,71	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+12+24	7	7	7	12	24	1,49	1,49	1,49	2,55	5,09	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+18+18	7	7	7	18	18	1,49	1,49	1,49	3,82	3,82	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+18+21	7	7	7	18	21	1,41	1,41	1,41	3,63	4,24	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+18+24	7	7	7	18	24	1,34	1,34	1,34	3,46	4,61	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+7+21+21	7	7	7	21	21	1,34	1,34	1,34	4,03	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+9+9	7	7	9	9	9	2,15	2,15	2,60	2,60	2,60	2,60	12,10	14,83	1,60	3,40	4,60	6,10
	7+7+9+9+12	7	7	9	9	12	1,93	1,93	2,48	2,48	3,30	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+9+18	7	7	9	9	18	1,69	1,69	2,18	2,18	4,36	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+9+21	7	7	9	9	21	1,60	1,60	2,05	2,05	4,79	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+9+24	7	7	9	9	24	1,51	1,51	1,94	1,94	5,19	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+12+12	7	7	9	12	12	1,80	1,80	2,32	3,09	3,09	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+12+18	7	7	9	12	18	1,60	1,60	2,05	2,74	4,11	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+12+21	7	7	9	12	21	1,51	1,51	1,94	2,59	4,54	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+12+24	7	7	9	12	24	1,44	1,44	1,85	2,46	4,92	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+18+18	7	7	9	18	18	1,44	1,44	1,85	3,69	3,69	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+9+18+21	7	7	9	18	21	1,37	1,37	1,76	3,51	4,10	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+12+12+12	7	7	12	12	12	1,69	1,69	2,90	2,90	2,90	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+12+12+18	7	7	12	12	18	1,51	1,51	2,59	2,59	3,89	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+12+12+21	7	7	12	12	21	1,44	1,44	2,46	2,46	4,31	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+12+12+24	7	7	12	12	24	1,37	1,37	2,34	2,34	4,68	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+7+12+18+18	7	7	12	18	18	1,37	1,37	2,34	3,51	3,51	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+9+9	7	9	9	9	9	1,97	2,53	2,53	2,53	2,53	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+9+12	7	9	9	9	12	1,84	2,37	2,37	2,37	3,16	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+9+18	7	9	9	9	18	1,63	2,09	2,09	2,09	4,19	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+9+21	7	9	9	9	21	1,54	1,98	1,98	1,98	4,62	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+9+24	7	9	9	9	24	1,46	1,88	1,88	1,88	5,01	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+12+12	7	9	9	12	12	1,73	2,22	2,22	2,96	2,96	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+12+18	7	9	9	12	18	1,54	1,98	1,98	2,64	3,96	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+12+21	7	9	9	12	21	1,46	1,88	1,88	2,50	4,38	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+12+24	7	9	9	12	24	1,39	1,79	1,79	2,38	4,76	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+9+18+18	7	9	9	18	18	1,39	1,79	1,79	3,57	3,57	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+12+12+12	7	9	12	12	12	1,63	2,09	2,79	2,79	2,79	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+12+12+18	7	9	12	12	18	1,46	1,88	2,50	2,50	3,76	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+9+12+12+21	7	9	12	12	21	1,39	1,79	2,38	2,38	4,17	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+12+12+12	7	12	12	12	12	1,54	2,64	2,64	2,64	2,64	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	7+12+12+12+18	7	12	12	12	18	1,39	2,38	2,38	2,38	3,57	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+9+9	9	9	9	9	9	2,42	2,42	2,42	2,42	2,42	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+9+12	9	9	9	9	12	2,27	2,27	2,27	2,27	3,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+9+18	9	9	9	9	18	2,02	2,02	2,02	2,02	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+9+21	9	9	9	9	21	1,91	1,91	1,91	1,91	4,46	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+9+24	9	9	9	9	24	1,82	1,82	1,82	1,82	4,84	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+12+12	9	9	9	12	12	2,14	2,14	2,14	2,85	2,85	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+12+18	9	9	9	12	18	1,91	1,91	1,91	2,55	3,82	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+12+21	9	9	9	12	21	1,82	1,82	1,82	2,42	4,24	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+12+24	9	9	9	12	24	1,73	1,73	1,73	2,30	4,61	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+9+18+18	9	9	9	18	18	1,73	1,73	1,73	3,46	3,46	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+12+12+12	9	9	12	12	12	2,02	2,02	2,69	2,69	2,69	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+12+12+18	9	9	12	12	18	1,82	1,82	2,42	2,42	3,63	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+9+12+12+21	9	9	12	12	21	1,73	1,73	2,30	2,30	4,03	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+12+12+12	9	12	12	12	12	1,91	2,55	2,55	2,55	2,55	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	9+12+12+12+18	9	12	12	12	18	1,73	2,30	2,30	2,30	3,46	2,60	12,10	15,20	1,60	3,40	4,60	6,10
	12+12+12+12+12	12	12	12	12	12	2,42	2,42	2,42	2,42	2,42	2,60	12,10	15,20	1,60	3,40	4,60	6,10

42.000 Btu Outdoor Unit

HEATING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)			Indoor Unit Capacity (kW) (Nominal Heating)			Total Heating Capacity (kW)			Total Power Input (kW)			SCOP (W/W)
		Unit A	Unit B	Unit C	Unit A	Unit B	Unit C	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:2	7+18	7	18	–	2,60	5,60	–	3,00	8,20	9,22	1,61	2,40	4,20	3,8
	7+21	7	21	–	2,60	6,50	–	3,00	9,10	10,33	1,61	2,60	4,50	3,8
	7+24	7	24	–	2,60	8,50	–	3,00	11,10	12,05	1,61	2,80	4,50	3,8
	9+12	9	12	–	2,80	3,80	–	3,00	6,60	7,75	1,61	2,30	4,20	3,8
	9+18	9	18	–	2,80	5,60	–	3,00	8,40	9,96	1,61	2,60	4,50	3,8
	9+21	9	21	–	2,80	6,50	–	3,00	9,30	11,07	1,61	2,80	4,50	3,8
	9+24	9	24	–	2,80	8,50	–	3,00	11,30	12,17	1,61	2,80	4,50	3,8
	12+12	12	12	–	3,80	3,80	–	3,00	7,60	8,85	1,61	2,60	4,50	3,8
	12+18	12	18	–	3,80	5,60	–	3,00	9,40	11,07	1,61	2,80	4,50	3,8
	12+21	12	21	–	3,80	6,50	–	3,00	10,30	12,17	1,61	2,80	4,50	3,8
	12+24	12	24	–	3,80	8,50	–	3,00	12,30	13,28	1,61	2,80	4,50	3,8
	18+18	18	18	–	5,60	5,60	–	3,00	11,20	13,28	1,61	2,80	4,50	3,8
	18+21	18	21	–	5,60	6,50	–	3,00	12,10	14,39	1,61	3,19	5,00	3,8
	18+24	18	24	–	5,57	7,43	–	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	21+21	21	21	–	6,50	6,50	–	3,00	13,00	15,50	1,61	3,19	5,00	3,8
1:3	21+24	21	24	–	6,07	6,93	–	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	24+24	24	24	–	6,50	6,50	–	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7	7	7	7	2,60	2,60	2,60	3,00	7,80	8,16	1,61	2,40	4,20	3,8
	7+7+9	7	7	9	2,60	2,60	2,80	3,00	8,00	8,94	1,61	2,40	4,20	3,8
	7+7+12	7	7	12	2,60	2,60	3,80	3,00	9,00	9,99	1,61	2,60	4,50	3,8
	7+7+18	7	7	18	2,60	2,60	5,60	3,00	10,80	11,80	1,61	2,80	4,50	3,8
	7+7+21	7	7	21	2,60	2,60	6,50	3,00	11,70	12,91	1,61	2,80	4,50	3,8
	7+7+24	7	7	24	2,60	2,60	8,50	3,00	13,70	14,02	1,61	3,19	5,00	3,8
	7+9+9	7	9	9	2,60	2,80	2,80	3,00	8,20	9,22	1,61	2,60	4,50	3,8
	7+9+12	7	9	12	2,60	2,80	3,80	3,00	9,20	10,33	1,61	2,60	4,50	3,8
	7+9+18	7	9	18	2,60	2,80	5,60	3,00	11,00	12,54	1,61	2,80	4,50	3,8
	7+9+21	7	9	21	2,60	2,80	6,50	3,00	11,90	13,65	1,61	2,80	4,50	3,8
	7+9+24	7	9	24	2,60	2,80	7,60	3,00	13,00	14,76	1,61	3,19	5,00	3,8
	7+12+12	7	12	12	2,60	3,80	3,80	3,00	10,20	11,44	1,61	3,20	4,00	3,8
	7+12+18	7	12	18	2,60	3,80	5,60	3,00	12,00	13,65	1,61	3,20	4,00	3,8
	7+12+21	7	12	21	2,60	3,80	6,50	3,00	12,90	14,76	1,61	3,19	5,00	3,8
	7+12+24	7	12	24	2,12	3,63	7,26	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+18+18	7	18	18	2,12	5,44	5,44	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+18+21	7	18	21	1,98	5,09	5,93	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+18+24	7	18	24	1,86	4,78	6,37	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+21+21	7	21	21	1,86	5,57	5,57	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+21+24	7	21	24	1,75	5,25	6,00	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+24+24	7	24	24	1,65	5,67	5,67	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9	9	9	9	2,80	2,80	2,80	3,00	8,40	9,96	1,61	2,60	4,50	3,8
	9+9+12	9	9	12	2,80	2,80	3,80	3,00	9,40	11,07	1,61	2,80	4,50	3,8
	9+9+18	9	9	18	2,80	2,80	5,60	3,00	11,20	13,28	1,61	2,80	4,50	3,8
	9+9+21	9	9	21	2,80	2,80	6,50	3,00	12,10	14,39	1,61	3,19	5,00	3,8
	9+9+24	9	9	24	2,79	2,79	7,43	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+12	9	12	12	2,80	3,80	3,80	3,00	10,40	12,17	1,61	2,80	4,50	3,8
	9+12+18	9	12	18	2,80	3,80	5,60	3,00	12,20	14,39	1,61	3,19	5,00	3,8
	9+12+21	9	12	21	2,79	3,71	6,50	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+24	9	12	24	2,60	3,47	6,93	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+18+18	9	18	18	2,60	5,20	5,20	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+18+21	9	18	21	2,44	4,88	5,69	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+18+24	9	18	24	2,29	4,59	6,12	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+21+21	9	21	21	2,29	5,35	5,35	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+21+24	9	21	24	2,17	5,06	5,78	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+24+24	9	24	24	2,05	5,47	5,47	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+12	12	12	12	4,33	4,33	4,33	3,00	13,00	13,28	1,61	2,80	4,50	3,8
	12+12+18	12	12	18	3,71	3,71	5,57	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+21	12	12	21	3,47	3,47	6,07	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+24	12	12	24	3,25	3,25	6,50	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+18+18	12	18	18	3,25	4,88	4,88	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+18+21	12	18	21	3,06	4,59	5,35	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+18+24	12	18	24	2,89	4,33	5,78	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+21+21	12	21	21	2,89	5,06	5,06	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+21+24	12	21	24	2,74	4,79	5,47	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+24+24	12	24	24	2,60	5,20	5,20	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	18+18+18	18	18	18	4,33	4,33	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	18+18+21	18	18	21	4,11	4,11	4,79	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	18+18+24	18	18	24	3,90	3,90	5,20	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	18+21+21	18	21	21	3,90	4,55	4,55	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	18+21+24	18	21	24	3,71	4,33	4,95	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	21+21+21	21	21	21	4,33	4,33	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8

42.000 Btu Outdoor Unit

HEATING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)				Indoor Unit Capacity (kW) (Nominal Heating)				Total Heating Capacity (kW)			Total Power Input (kW)			SCOP (W/W)
		Unit A	Unit B	Unit C	Unit D	Unit A	Unit B	Unit C	Unit D	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:4	7+7+7+7	7	7	7	7	2,60	2,60	2,60	2,60	3,00	10,40	10,88	1,61	2,60	4,50	3,8
	7+7+7+9	7	7	7	9	2,60	2,60	2,60	2,80	3,00	10,60	11,07	1,61	2,80	4,50	3,8
	7+7+7+12	7	7	7	12	2,60	2,60	2,60	3,80	3,00	11,60	12,17	1,61	2,80	4,50	3,8
	7+7+7+18	7	7	7	18	2,60	2,60	2,60	5,60	3,00	13,00	14,39	1,61	3,19	5,00	3,8
	7+7+7+21	7	7	7	21	2,17	2,17	2,17	6,50	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+24	7	7	7	24	2,02	2,02	2,02	6,93	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+9	7	7	9	9	2,60	2,60	2,80	2,80	3,00	10,80	12,44	1,61	2,80	4,50	3,8
	7+7+9+12	7	7	9	12	2,60	2,60	2,80	3,80	3,00	11,80	13,61	1,61	3,00	4,80	3,8
	7+7+9+18	7	7	9	18	2,22	2,22	2,85	5,71	3,00	13,00	15,13	1,61	3,19	5,00	3,8
	7+7+9+21	7	7	9	21	2,07	2,07	2,66	6,20	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+24	7	7	9	24	1,94	1,94	2,49	6,64	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+12+12	7	7	12	12	2,39	2,39	4,11	4,11	3,00	13,00	14,02	1,61	3,19	5,00	3,8
	7+7+12+18	7	7	12	18	2,07	2,07	3,55	5,32	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+12+21	7	7	12	21	1,94	1,94	3,32	5,81	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+12+24	7	7	12	24	1,82	1,82	3,12	6,24	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+18+18	7	7	18	18	1,82	1,82	4,68	4,68	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+18+21	7	7	18	21	1,72	1,72	4,42	5,15	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+18+24	7	7	18	24	1,63	1,63	4,18	5,57	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+21+21	7	7	21	21	1,63	1,63	4,88	4,88	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+21+24	7	7	21	24	1,54	1,54	4,63	5,29	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+24+24	7	7	24	24	1,47	1,47	5,03	5,03	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+9	7	9	9	9	2,68	3,44	3,44	3,44	3,00	11,00	13,22	1,61	3,00	4,80	3,8
	7+9+9+12	7	9	9	12	2,46	3,16	3,16	4,22	3,00	12,00	14,00	1,61	3,00	4,80	3,8
	7+9+9+18	7	9	9	18	2,12	2,72	2,72	5,44	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+21	7	9	9	21	1,98	2,54	2,54	5,93	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+24	7	9	9	24	1,86	2,39	2,39	6,37	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+12+12	7	9	12	12	2,28	2,93	3,90	3,90	3,00	13,00	14,76	1,61	3,19	5,00	3,8
	7+9+12+18	7	9	12	18	1,98	2,54	3,39	5,09	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+12+21	7	9	12	21	1,86	2,39	3,18	5,57	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+12+24	7	9	12	24	1,75	2,25	3,00	6,00	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+18+18	7	9	18	18	1,75	2,25	4,50	4,50	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+18+21	7	9	18	21	1,65	2,13	4,25	4,96	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+18+24	7	9	18	24	1,57	2,02	4,03	5,38	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+21+21	7	9	21	21	1,57	2,02	4,71	4,71	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+21+24	7	9	21	24	1,49	1,92	4,48	5,11	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+12+12	7	12	12	12	2,12	3,63	3,63	3,63	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+12+18	7	12	12	18	1,86	3,18	3,18	4,78	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+12+21	7	12	12	21	1,75	3,00	3,00	5,25	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+12+24	7	12	12	24	1,65	2,84	2,84	5,67	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+18+18	7	12	18	18	1,65	2,84	4,25	4,25	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+18+21	7	12	18	21	1,57	2,69	4,03	4,71	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+18+24	7	12	18	24	1,49	2,56	3,84	5,11	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+21+21	7	12	21	21	1,49	2,56	4,48	4,48	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+18+18+18	7	18	18	18	1,49	3,84	3,84	3,84	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+9	9	9	9	9	3,25	3,25	3,25	3,25	3,00	13,00	14,00	1,61	3,00	4,80	3,8
	9+9+9+12	9	9	9	12	3,00	3,00	3,00	4,00	3,00	13,00	14,39	1,61	3,19	5,00	3,8
	9+9+9+18	9	9	9	18	2,60	2,60	2,60	5,20	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+21	9	9	9	21	2,44	2,44	2,44	5,69	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+24	9	9	9	24	2,29	2,29	2,29	6,12	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+12+12	9	9	12	12	2,79	2,79	3,71	3,71	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+12+18	9	9	12	18	2,44	2,44	3,25	4,88	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+12+21	9	9	12	21	2,29	2,29	3,06	5,35	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+12+24	9	9	12	24	2,17	2,17	2,89	5,78	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+18+18	9	9	18	18	2,17	2,17	4,33	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+18+21	9	9	18	21	2,05	2,05	4,11	4,79	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+18+24	9	9	18	24	1,95	1,95	3,90	5,20	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+21+21	9	9	21	21	1,95	1,95	4,55	4,55	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+21+24	9	9	21	24	1,86	1,86	4,33	4,95	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+12+12	9	12	12	12	2,60	3,47	3,47	3,47	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+12+18	9	12	12	18	2,29	3,06	3,06	4,59	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+12+21	9	12	12	21	2,17	2,89	2,89	5,06	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+12+24	9	12	12	24	2,05	2,74	2,74	5,47	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+18+18	9	12	18	18	2,05	2,74	4,11	4,11	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+18+21	9	12	18	21	1,95	2,60	3,90	4,55	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+18+24	9	12	18	24	1,86	2,48	3,71	4,95	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+21+21	9	12	21	21	1,86	2,48	4,33	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+18+18+18	9	18	18	18	1,86	3,71	3,71	3,71	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+12+12	12	12	12	12	3,25	3,25	3,25	3,25	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+12+18	12	12	12	18	2,89	2,89	2,89	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+12+21	12	12	12	21	2,74	2,74	2,74	4,79	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+12+24	12	12	12	24	2,60	2,60	2,60	5,20	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+18+18	12	12	18	18	2,60	2,60	3,90	3,90	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+18+21	12	12	18	21	2,48	2,48	3,71	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8

42.000 Btu Outdoor Unit

HEATING MODE

Combination	Indoor Units	Combinations (x1000 Btu/s)					Indoor Unit Capacity (kW) (Nominal Heating)					Total Heating Capacity (kW)			Total Power Input (kW)			SCOP (W/W)
		Unit A	Unit B	Unit C	Unit D	Unit E	Unit A	Unit B	Unit C	Unit D	Unit E	Min.	Ave.	Max.	Min.	Ave.	Max.	
1:5	7+7+7+7+7	7	7	7	7	7	2,60	2,60	2,60	2,60	2,60	3,00	13,00	15,50	1,61	3,00	4,80	3,8
	7+7+7+7+9	7	7	7	7	9	2,46	2,46	2,46	2,46	3,16	3,00	13,00	15,50	1,61	3,00	4,80	3,8
	7+7+7+7+12	7	7	7	7	12	2,28	2,28	2,28	2,28	3,90	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+7+18	7	7	7	7	18	1,98	1,98	1,98	1,98	5,09	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+7+21	7	7	7	7	21	1,86	1,86	1,86	1,86	5,57	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+7+24	7	7	7	7	24	1,75	1,75	1,75	1,75	6,00	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+9+9	7	7	7	9	9	2,33	2,33	2,33	3,00	3,00	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+9+12	7	7	7	9	12	2,17	2,17	2,17	2,79	3,71	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+9+18	7	7	7	9	18	1,90	1,90	1,90	2,44	4,88	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+9+21	7	7	7	9	21	1,78	1,78	1,78	2,29	5,35	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+9+24	7	7	7	9	24	1,69	1,69	1,69	2,17	5,78	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+12+12	7	7	7	12	12	2,02	2,02	2,02	3,47	3,47	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+12+18	7	7	7	12	18	1,78	1,78	1,78	3,06	4,59	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+12+21	7	7	7	12	21	1,69	1,69	1,69	2,89	5,06	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+12+24	7	7	7	12	24	1,60	1,60	1,60	2,74	5,47	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+18+18	7	7	7	18	18	1,60	1,60	1,60	4,11	4,11	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+18+21	7	7	7	18	21	1,52	1,52	1,52	3,90	4,55	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+18+24	7	7	7	18	24	1,44	1,44	1,44	3,71	4,95	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+7+21+21	7	7	7	21	21	1,44	1,44	1,44	4,33	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+9+9	7	7	9	9	9	2,22	2,22	2,85	2,85	2,85	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+9+12	7	7	9	9	12	2,07	2,07	2,66	2,66	3,55	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+9+18	7	7	9	9	18	1,82	1,82	2,34	2,34	4,68	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+9+21	7	7	9	9	21	1,72	1,72	2,21	2,21	5,15	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+9+24	7	7	9	9	24	1,63	1,63	2,09	2,09	5,57	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+12+12	7	7	9	12	12	1,94	1,94	2,49	3,32	3,32	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+12+18	7	7	9	12	18	1,72	1,72	2,21	2,94	4,42	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+12+21	7	7	9	12	21	1,63	1,63	2,09	2,79	4,88	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+12+24	7	7	9	12	24	1,54	1,54	1,98	2,64	5,29	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+18+18	7	7	9	18	18	1,54	1,54	1,98	3,97	3,97	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+9+18+21	7	7	9	18	21	1,47	1,47	1,89	3,77	4,40	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+12+12+12	7	7	12	12	12	1,82	1,82	3,12	3,12	3,12	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+12+12+18	7	7	12	12	18	1,63	1,63	2,79	2,79	4,18	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+12+12+21	7	7	12	12	21	1,54	1,54	2,64	2,64	4,63	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+12+12+24	7	7	12	12	24	1,47	1,47	2,52	2,52	5,03	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+7+12+18+18	7	7	12	18	18	1,47	1,47	2,52	3,77	3,77	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+9+9	7	9	9	9	9	2,12	2,72	2,72	2,72	2,72	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+9+12	7	9	9	9	12	1,98	2,54	2,54	2,54	3,39	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+9+18	7	9	9	9	18	1,75	2,25	2,25	2,25	4,50	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+9+21	7	9	9	9	21	1,65	2,13	2,13	2,13	4,96	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+9+24	7	9	9	9	24	1,57	2,02	2,02	2,02	5,38	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+12+12	7	9	9	12	12	1,86	2,39	2,39	3,18	3,18	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+12+18	7	9	9	12	18	1,65	2,13	2,13	2,84	4,25	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+12+21	7	9	9	12	21	1,57	2,02	2,02	2,69	4,71	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+12+24	7	9	9	12	24	1,49	1,92	1,92	2,56	5,11	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+9+18+18	7	9	9	18	18	1,49	1,92	1,92	3,84	3,84	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+12+12+12	7	9	12	12	12	1,75	2,25	3,00	3,00	3,00	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+12+12+18	7	9	12	12	18	1,57	2,02	2,69	2,69	4,03	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+9+12+12+21	7	9	12	12	21	1,49	1,92	2,56	2,56	4,48	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+12+12+12	7	12	12	12	12	1,65	2,84	2,84	2,84	2,84	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	7+12+12+12+18	7	12	12	12	18	1,49	2,56	2,56	2,56	3,84	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+9+9	9	9	9	9	9	2,60	2,60	2,60	2,60	2,60	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+9+12	9	9	9	9	12	2,44	2,44	2,44	2,44	3,25	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+9+18	9	9	9	9	18	2,17	2,17	2,17	2,17	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+9+21	9	9	9	9	21	2,05	2,05	2,05	2,05	4,79	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+9+24	9	9	9	9	24	1,95	1,95	1,95	1,95	5,20	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+12+12	9	9	9	12	12	2,29	2,29	2,29	3,06	3,06	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+12+18	9	9	9	12	18	2,05	2,05	2,05	2,74	4,11	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+12+21	9	9	9	12	21	1,95	1,95	1,95	2,60	4,55	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+12+24	9	9	9	12	24	1,86	1,86	1,86	2,48	4,95	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+9+18+18	9	9	9	18	18	1,86	1,86	1,86	3,71	3,71	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+12+12+12	9	9	12	12	12	2,17	2,17	2,89	2,89	2,89	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+12+12+18	9	9	12	12	18	1,95	1,95	2,60	2,60	3,90	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+9+12+12+21	9	9	12	12	21	1,86	1,86	2,48	2,48	4,33	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+12+12+12	9	12	12	12	12	2,05	2,74	2,74	2,74	2,74	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	9+12+12+12+18	9	12	12	12	18	1,86	2,48	2,48	2,48	3,71	3,00	13,00	15,50	1,61	3,19	5,00	3,8
	12+12+12+12+12	12	12	12	12	12	2,60	2,60	2,60	2,60	2,60	3,00	13,00	15,50	1,61	3,19	5,00	3,8

eco-friendly and high-efficiency products for a better world



We are investing in the future with our Alarko Flair environmentally friendly air conditioners. We use efficient and environmentally friendly products. We are aware that products with high energy efficiency are budget and environmentally friendly.

We stand against global warming with products with R32 refrigerant. We turned our face towards green. We think green.

Flair

The data in this catalog is for reference only. Alarko Carrier reserves the right to make changes to product data at any time.

Note: Manufacturer reserves the right to change any product specifications without notice.

ALARKO



**ALARKO CARRIER
SANAYİ VE TİCARET A.Ş.**

GOSB - Gebze Organize Sanayi Bölgesi, Şahabettin Bilgisu Cad.

No:1604 Gebze 41480 KOCAELİ - TÜRKİYE

Phone: +90 262 648 60 00

Fax: +90262 648 60 08

www.alarko-carrier.com.tr

info@alarko-carrier.com.tr